(19) 世界知的所有権機関 国際事務局



(43) 国際公開日 2005 年3 月31 日 (31.03.2005)

PCT

(10) 国際公開番号 WO 2005/029631 A1

(51) 国際特許分類7:

H01M 10/40

(21) 国際出願番号:

PCT/JP2004/013687

(22) 国際出願日:

2004年9月17日(17.09.2004)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ:

特願2003-324100 2003年9月17日(17.09.2003) Л

- (71) 出願人 (米国を除く全ての指定国について): 宇部 興産株式会社 (UBE INDUSTRIES, LTD.) [JP/JP]; 〒 7558633 山口県宇部市大字小串 1 9 7 8 番地の 9 6 Yamaguchi (JP).
- (72) 発明者; および
- (75) 発明者/出願人 (米国についてのみ): 安部 浩司 (ABE, Koji) [JP/JP]; 〒7558633 山口県宇部市大字小串 1 9 7 8 番地の 1 0 宇部興産株式会社 宇部ケミカル工場内 Yamaguchi (JP). 桑田 孝明 (KUWATA, Takaaki) [JP/JP]; 〒7558633 山口県宇部市大字小串 1 9 7 8 番地の 1 0 宇部興産株式会社 宇部ケミカル工場内 Yamaguchi (JP).
- (74) 代理人: 柳川 泰男 (YANAGAWA, Yasuo); 〒1600004 東京都新宿区四谷 2-1 4ミツヤ四谷ビル 8 階 Tokyo (JP).

- (81) 指定国 (表示のない限り、全ての種類の国内保護が可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) 指定国 (表示のない限り、全ての種類の広域保護が可能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


添付公開書類:

- 一 国際調査報告書
- 請求の範囲の補正の期限前の公開であり、補正書受 領の際には再公開される。

2文字コード及び他の略語については、定期発行される 各PCTガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。

(54) Title: NONAQUEOUS ELECTROLYTE SOLUTION AND LITHIUM SECONDARY BATTERY USING SAME

(54) 発明の名称: 非水電解液およびそれを用いたリチウム二次電池



(57) Abstract: [PROBLEMS] The present invention provides a lithium secondary battery which is improved particularly in cycle characteristics. [MEANS FOR SOLVING PROBLEMS] Disclosed is a lithium secondary battery which uses a nonaqueous electrolyte solution obtained by dissolving an electrolyte salt in a nonaqueous solvent. The nonaqueous electrolyte solution further contains a pentafluorophenyloxy compound represented by the following formula (I): (I) (wherein R₁ represents a substituent selected from the group consisting of alkylcarbonyl groups having 2-12 carbon atoms,

alkoxycarbonyl groups having 2-12 carbon atoms, aryloxycarbonyl groups having 7-18 carbon atoms and alkanesulfonyl groups having 1-12 carbon atoms, and at least one hydrogen atom of the substituent may be substituted by a halogen atom or an aryl group having 6-18 carbon atoms), a vinylene carbonate and/or 1,3-propane sultone.